

# Web-hooks

- (**event**), (**flow**), .

		,			
		,			
<b>Joined</b>	:	<ul style="list-style-type: none"> <li>• offline queue</li> <li>• inbound queue</li> <li>• outbound IVR</li> <li>• preview dialer</li> <li>• progressive dialer</li> <li>• predictive dialer</li> <li>• chat inbound queue</li> <li>• task queue</li> </ul>	channel	string	(chat/call/task)
			attempt_id	integer	
			destination	string	,
			use_processing	boolen	
			agent_channel_id	string	( , API)
			member_channel_id	string	( , API)
			+ ,		
<b>Answered</b>		<ul style="list-style-type: none"> <li>• preview dialer</li> <li>• offline queue</li> </ul>	channel	string	(chat/call/task)
			attempt_id	integer	
			destination	string	,
			use_processing	boolen	
			agent_channel_id	string	( , API)
			member_channel_id	string	( , API)
			agent_name	string	
			agent_id	integer	
			user_id	integer	
			agent_extension	string	
			member_name	string	
			member_id	integer	
			cc_attempt_seq	integer	
			call_bill_sec	number	- ,
			call_duration	number	- , ( )
			amd_result	string	- HUMAN/MASHINE
			call_voice_sec	number	- ,
			+ ,		
<b>Offering</b>	:	<ul style="list-style-type: none"> <li>• offline queue</li> <li>• inbound queue</li> <li>• outbound IVR</li> <li>• preview dialer</li> <li>• progressive dialer</li> <li>• predictive dialer</li> <li>• chat inbound queue</li> <li>• task queue</li> </ul>	channel	string	(chat/call/task)
			attempt_id	integer	
			destination	string	,
			use_processing	boolen	
			agent_channel_id	string	( , API)
			member_channel_id	string	( , API)
			agent_name	string	
			agent_id	integer	
			user_id	integer	
			agent_extension	string	
			member_name	string	
			member_id	integer	
			cc_attempt_seq	integer	
			call_bill_sec	number	- ,

			call_duration	number	- , ( )
			amd_result	string	- HUMAN/MASHINE
			call_voice_sec	number	- ,
			+ ,		
<b>Bridged</b>	:	<ul style="list-style-type: none"> <li>• offline queue</li> <li>• inbound queue</li> <li>• outbound IVR</li> <li>• preview dialer</li> <li>• progressive dialer</li> <li>• predictive dialer</li> <li>• chat inbound queue</li> <li>• task queue</li> </ul>	channel	string	(chat/call/task)
			attempt_id	integer	
			destination	string	,
			use_processing	boolen	
			agent_channel_id	string	( , API)
			member_channel_id	string	( , API)
			agent_name	string	
			agent_id	integer	
			user_id	integer	
			agent_extension	string	
			member_name	string	
			member_id	integer	
			cc_attempt_seq	integer	
			call_bill_sec	number	- ,
			call_duration	number	- , ( )
			amd_result	string	- HUMAN/MASHINE
			call_voice_sec	number	- ,
			+ ,		
<b>Missed</b>	:	<ul style="list-style-type: none"> <li>• offline queue</li> <li>• inbound queue</li> <li>• preview dialer</li> <li>• progressive dialer</li> <li>• predictive dialer</li> <li>• chat inbound queue</li> <li>• task queue</li> </ul>	channel	string	(chat/call/task)
			attempt_id	integer	
			destination	string	,
			use_processing	boolen	
			agent_channel_id	string	( , API)
			member_channel_id	string	( , API)
			agent_name	string	
			agent_id	integer	
			user_id	integer	
			agent_extension	string	
			member_name	string	
			member_id	integer	
			cc_attempt_seq	integer	
			call_bill_sec	number	- ,
			call_duration	number	- , ( )
			amd_result	string	- HUMAN/MASHINE
			+ ,		
<b>Leaving</b>	:	<ul style="list-style-type: none"> <li>• offline queue</li> <li>• inbound queue</li> <li>• outbound IVR</li> <li>• preview dialer</li> <li>• progressive dialer</li> <li>• predictive dialer</li> </ul>	channel	string	(chat/call/task)
			attempt_id	integer	
			destination	string	,
			use_processing	boolen	

	<ul style="list-style-type: none"> <li>• chat inbound queue</li> <li>• task queue</li> </ul>	<table border="1"> <tr><td>agent_channel_id</td><td>string</td><td>( , API)</td></tr> <tr><td>member_channel_id</td><td>string</td><td>( , API)</td></tr> <tr><td>agent_name</td><td>string</td><td></td></tr> <tr><td>agent_id</td><td>integer</td><td></td></tr> <tr><td>user_id</td><td>integer</td><td></td></tr> <tr><td>agent_extension</td><td>string</td><td></td></tr> <tr><td>member_name</td><td>string</td><td></td></tr> <tr><td>member_id</td><td>integer</td><td></td></tr> <tr><td>cc_attempt_seq</td><td>integer</td><td></td></tr> <tr><td>cc_result</td><td>string</td><td>(sucess/cancel/abandoned)</td></tr> <tr><td>call_bill_sec</td><td>number</td><td>- ,</td></tr> <tr><td>call_duration</td><td>number</td><td>- , ( )</td></tr> <tr><td>call_cause</td><td>string</td><td>( )</td></tr> <tr><td>call_sip_code</td><td>number</td><td>( SIP )</td></tr> <tr><td>amd_result</td><td>string</td><td>- HUMAN/MASHINE</td></tr> <tr><td>call_voice_sec</td><td>number</td><td>- ,</td></tr> <tr><td>+ ,</td><td></td><td></td></tr> </table>	agent_channel_id	string	( , API)	member_channel_id	string	( , API)	agent_name	string		agent_id	integer		user_id	integer		agent_extension	string		member_name	string		member_id	integer		cc_attempt_seq	integer		cc_result	string	(sucess/cancel/abandoned)	call_bill_sec	number	- ,	call_duration	number	- , ( )	call_cause	string	( )	call_sip_code	number	( SIP )	amd_result	string	- HUMAN/MASHINE	call_voice_sec	number	- ,	+ ,											
agent_channel_id	string	( , API)																																																												
member_channel_id	string	( , API)																																																												
agent_name	string																																																													
agent_id	integer																																																													
user_id	integer																																																													
agent_extension	string																																																													
member_name	string																																																													
member_id	integer																																																													
cc_attempt_seq	integer																																																													
cc_result	string	(sucess/cancel/abandoned)																																																												
call_bill_sec	number	- ,																																																												
call_duration	number	- , ( )																																																												
call_cause	string	( )																																																												
call_sip_code	number	( SIP )																																																												
amd_result	string	- HUMAN/MASHINE																																																												
call_voice_sec	number	- ,																																																												
+ ,																																																														
<b>Processing</b>	:	<table border="1"> <tr><td>channel</td><td>string</td><td>(chat/call/task)</td></tr> <tr><td>attempt_id</td><td>integer</td><td></td></tr> <tr><td>destination</td><td>string</td><td>,</td></tr> <tr><td>use_processing</td><td>boolean</td><td></td></tr> <tr><td>agent_channel_id</td><td>string</td><td>( , API)</td></tr> <tr><td>member_channel_id</td><td>string</td><td>( , API)</td></tr> <tr><td>agent_name</td><td>string</td><td></td></tr> <tr><td>agent_id</td><td>integer</td><td></td></tr> <tr><td>user_id</td><td>integer</td><td></td></tr> <tr><td>agent_extension</td><td>string</td><td></td></tr> <tr><td>member_name</td><td>string</td><td></td></tr> <tr><td>member_id</td><td>integer</td><td></td></tr> <tr><td>cc_attempt_seq</td><td>integer</td><td></td></tr> <tr><td>call_bill_sec</td><td>number</td><td>- ,</td></tr> <tr><td>call_duration</td><td>number</td><td>- , ( )</td></tr> <tr><td>call_cause</td><td>string</td><td>( )</td></tr> <tr><td>call_sip_code</td><td>number</td><td>( SIP )</td></tr> <tr><td>amd_result</td><td>string</td><td>- HUMAN/MASHINE</td></tr> <tr><td>call_voice_sec</td><td>number</td><td>- ,</td></tr> <tr><td>+ ,</td><td></td><td></td></tr> </table>	channel	string	(chat/call/task)	attempt_id	integer		destination	string	,	use_processing	boolean		agent_channel_id	string	( , API)	member_channel_id	string	( , API)	agent_name	string		agent_id	integer		user_id	integer		agent_extension	string		member_name	string		member_id	integer		cc_attempt_seq	integer		call_bill_sec	number	- ,	call_duration	number	- , ( )	call_cause	string	( )	call_sip_code	number	( SIP )	amd_result	string	- HUMAN/MASHINE	call_voice_sec	number	- ,	+ ,		
channel	string	(chat/call/task)																																																												
attempt_id	integer																																																													
destination	string	,																																																												
use_processing	boolean																																																													
agent_channel_id	string	( , API)																																																												
member_channel_id	string	( , API)																																																												
agent_name	string																																																													
agent_id	integer																																																													
user_id	integer																																																													
agent_extension	string																																																													
member_name	string																																																													
member_id	integer																																																													
cc_attempt_seq	integer																																																													
call_bill_sec	number	- ,																																																												
call_duration	number	- , ( )																																																												
call_cause	string	( )																																																												
call_sip_code	number	( SIP )																																																												
amd_result	string	- HUMAN/MASHINE																																																												
call_voice_sec	number	- ,																																																												
+ ,																																																														
<b>Active</b>		, Answered																																																												

- - Hooks Queues.

**The image's data is missing.**

**The image's data is missing.**